

# Micro inset light

Technical specification / REC

## Contents

Select a section or page number to jump to it. Use Contents in the footer to return.

|                              |   |
|------------------------------|---|
| 01 Product overview          | 2 |
| 02 Light & electrical        | 3 |
| 03 Mechanical & construction | 3 |
| 04 Service & circularity     | 3 |
| 05 Ordering                  | 3 |

Generated from current saved product details, specification notes and published FAQs. Downloaded copies are dated snapshots. Regenerate after changes. Unanswered fields are omitted. Check suitability for your project before installation.

01 Product overview

Micro inset light



|                            |          |
|----------------------------|----------|
| Product code               | REC      |
| Product reference          | 10037    |
| Rated power (standard LED) | 1.6 W    |
| Ingress protection         | IP68     |
| Standard cable length      | 2.00 m   |
| Standard weight            | 145 g    |
| Warranty period            | 10 years |

Product record updated: 2026-09-20 13:54:27

Specification notes revision: 0

## 02 Light & electrical

|                                        |                                                                         |
|----------------------------------------|-------------------------------------------------------------------------|
| Available LED options (colour / power) | 2700K / 1.6W                                                            |
|                                        | 2700K / 2.6W                                                            |
|                                        | 2700K / 3.6W                                                            |
|                                        | 2200K / 1.6W                                                            |
|                                        | Monochromatic Amber (Better in the case of Turtle/Bats/Wildlife) / 1.6W |

## 03 Mechanical & construction

|                         |                                                                                                                                                                                                                                                                                                                                                                                                          |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Body material by finish | Black powder coat: CNC machined 6082-T6 aluminium<br>Green powder coat: CNC machined 6082-T6 aluminium<br>Brass: CNC machined Brass CZ121<br>Copper: CNC machined Copper C101<br>CorTen Powder coat: CNC machined 6082-T6 aluminium<br>CUSTOM RAL: CNC machined 6082-T6 aluminium<br>Terra brown (formerly Bronze (RAL 8040)): CNC machined 6082-T6 aluminium<br>Solid Bronze: CNC machined Bronze CA104 |
| Available finishes      | Black powder coat; Green powder coat; Brass; Copper; CorTen Powder coat; CUSTOM RAL; Terra brown (formerly Bronze (RAL 8040)); Solid Bronze                                                                                                                                                                                                                                                              |

## 04 Service & circularity

|                       |     |
|-----------------------|-----|
| TM66 assessment score | 2.6 |
|-----------------------|-----|

## 05 Ordering

|                   |                                                                                                             |
|-------------------|-------------------------------------------------------------------------------------------------------------|
| Available options | Pre aging of Brass, Copper or Bronze; Upgrade CRI to 95 - Not applicable to Amber and not available on 3.6W |
|-------------------|-------------------------------------------------------------------------------------------------------------|